

2024 7

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Mt	Na ₂ O+K ₂ O	DT
50mm		5000kcal kg	15%	2.5%	8%	2.5%	1350
		4700kcal kg	15%	4.5 %	---	2.5%	---

1

3

300

2

2024 7 25 10

< 1

10

2

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

1000

1000

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 7

<p>Qnet. ar 5000 St. d 2.5% Vdaf 15% Na₂O+k₂O 2.5% 0. xxx /</p>	<p>5000 Qnet. ar 4700Kcal / 100 0.002 / .</p> <p>2. Qnet. ar <4700 Kcal / Qnet. ar 100 0.005 /</p> <p>Vdaf >15% Vdaf 0.005 /</p> <p>1</p> <p>8000 < 12000 8000 0.02 /</p> <p>>12000 12000 0.03 /</p>	<p>1. 2.5%-St. d 3.5% St. d 0.1 0.1</p> <p>2. 3.5%-St. d 4.0% St. d 0.1 0.1</p> <p>3. St. d>, 4.0% St. d 0.1</p> <p>2.5%</p> <p>1. 2.5%-Na₂O+k₂O 3.5% 0.1</p> <p>2. 3.5%-Na₂O+k₂O 4.5% 0.1</p> <p>3. Na₂O+k₂O>4.5% 0.1</p>	<p>1</p> <p>3</p> <p>5</p> <p>Na₂O+K₂O</p> <p>2</p> <p>5</p> <p>10</p>	<p>95-110%</p> <p>90% <95% -0.002 / .</p> <p>80% <90% -0.004 / .</p> <p>70% <80% -0.006 / .</p> <p>60% <70% -0.008 / .</p> <p>50% <60% -0.010 / .</p> <p>40% <50% -0.015 / .</p> <p>-0.020 / <40%</p>					
	<p>Qnet. ar 4700Kcal / St. d 4.5 % Vdaf 15 %</p> <p><4700 4.5% Vdaf >15% Na₂O+K₂O 2.5%</p>								
			(/ .)	(%)	%		Na ₂ O+K ₂ O		
				15%	, 2.5%	5000	2.5%		

1. 3000 3
- 2.
3. Qnet. ar 5000kcal St. d 2.5% Vdaf 15% 2.5%
- 4.
5. 3 10
- 6.
7. 2024 7 25 10

cnf.dntbj.cg@163.com

0830-3628072 0830-3628078